

NEW

FAMCO[®]
The Contractor's First Choice

PRODUCTS

THE LATEST PROMOTIONS AND PRODUCT RELEASES






MODULAR WALL VENT

MODEL #MWV6KIT

This all-in-one product includes eight fully interchangeable components such as: hood, damper, under-eave damper, two screens, j-channel, flange, and a reducer to fit 4", 5", and 6" applications. Whether you're looking for intake, exhaust, or under-eave, this modular system eliminates the need for multiple SKUs or products, streamlining inventory and reducing installation complexity. Designed with adaptability and ease-of-use in mind, FAMCO's Modular Wall Vent empowers professionals with a customizable, efficient, and professional solution. You always have the right vent with the Modular Wall Vent kit!

Available in 6" hood with a 4", 5" and 6" adapter
Color options in black or white





TEXTURED WALL VENT

Made to blend, built to last. The Textured Wall Vent includes a vertical or horizontal wood grain embossment, allowing the vent to blend in with wood grain siding and cladding. The Textured Wall Vent follows our traditional wall vent structures with damper, screen, and tube variations available. Great for exhaust systems, devices that require intake such as HRV and ERV systems, and fresh air make-up applications. Also available in flush wall vent style where a low profile is desired.

Quality constructed from Galvanized Steel or Paint Lock. Pre-painted galvanized steel options in black, white, and brown.



FLUSH MOUNT WALL VENT


FWV: Flush Wall Vent with Damper

FWVE: Flush Wall Vent with Damper and Screen

Our newly redesigned flush wall vent is complete with a drip-edge, magnet, gasket, and new pre-drilled hole location underneath the damper to minimize water infiltration and enhance the aesthetic look of the vent. Great for kitchen, bath, or dryer exhaust where a low profile is desired. The hinged gravity backdraft damper with a magnet and gasket ensures a good seal while minimizing noise when not in use. Screen and tube variations available.

Available in 4", 5", 6", 8", and 10"

Material options available in Zinc-Aluminum, Galvanized Steel, and Paint Lock. Pre-painted galvanized steel options in black, brown, and white.



MAKE-UP AIR KIT

BAROMETRIC DAMPER + INTAKE VENT

MODEL #SKTL6-KIT

Back by popular demand, industry veterans may recognize this product as the “skuttle”. This barometric damper and intake vent kit is unique in its ability of effectively stopping unwanted air infiltration in windy and cold climates. The Make-Up Air Kit maintains indoor air quality and reduced drafts by keeping the HVAC system balanced, only allowing in fresh air when needed. The weighted swing arm will open when the system is in operation, drawing in fresh air, balancing the air quality in the home. Weights can be easily adjusted to desired airflow or barometric pressure.

Available in 6"

Includes FAMCO's SWV6 Screened Wall Vent conveniently in one kit for ease of installation



BUTTERFLY DAMPER WITH GASKET, CRIMP, AND SPRING MODEL #BDCRS

California is the first to mandate better airflow control and IAQ tracking on new installs with their strict 2025 Energy Code. Fresh air intake systems and smart dampers are now more important than ever. The **BDCRS** is used as a backdraft damper for heat exchangers, exhaust systems, solar heating systems and other intake or exhaust applications where a powered damper is not needed. Spring force keeps damper closed when system is not in operation and foam gasket seal ensures minimal air leakage and unwanted noise. Crimped end allows the damper to easily fit in-line with existing ducting minimizing installation time.

Available in 4", 5", 6", 7", 8" and 10"

Works in both horizontal or vertical orientations.



MANUAL DAMPER

MODEL #MD

Brought to the market by popular demand, this design stands apart from other manual options. It features a lever with a 3-inch standoff allowing the adjustment lever to stand proud and flush with duct wrap or insulation, a key enhancement requested by contractors to simplify post-installation adjustments. Used for balancing and adjusting airflow in residential and commercial HVAC systems, including dryer vents, system exhaust, and heating and cooling vents. Simple, manual adjustments fixed by a set screw.

Available in 4", 5", 6", 7", 8", 10", 12" and 14"

Manual locking lever with set screw can adjust up to 90 degrees, balancing airflow within the HVAC system



TRUEFIT FILTER RACK

MODEL #TFFR

This product was brought to market following the A2L transition, where filter racks were no longer compatible with many air handlers without significant and time consuming on-site alteration. This adaptable design is built with precise measurements to ensure a perfect fit with the air handler while minimizing air leakage. Attaching directly to the air handler, the racks hold either 1", 2" or 4" air filters securely in place, allowing it to capture dust, dirt, and other particles ensuring the HVAC system operates efficiently with no air leakage.

Compatible with Friedrich, Hisense, Rheem, Ruud, Trane, American Standard, York, Goodman, Bosch and more!

Promotional Pallet Pricing now available!



JVO50 ROOF VENT

The **JVO50** Roof Vent is built for attic or static ventilation, and includes openings on all four sides, promoting better airflow and helping to eliminate heat and moisture build-up. It includes 50 sq. in. of net free area, allowing for the same ventilation efficiency with fewer vents. The **JVO50** provides a low silhouette and works with a number of roof pitches. It includes a removeable hood for easy cleaning and is WUI compliant for fire sensitive areas.

Quality constructed from Copper or Galvanized Steel with Pre-painted galvanized steel options in black, brown, white, and gray



LRV50 ROOF VENT

The Louvered Roof Vent with Slant Back (**LRV50**) is perfect for attic ventilation and features 50 sq. in. of net free area with louvers on three sides and a slant back. Fits all pitched roofs and comes with a sealed weather-proof collar for increased weather protection. Quality constructed in Galvanized Steel and Copper. Pre-painted options available in black, brown, white, and gray.

New volume pricing now available for the LRV50BK (Black)



Without Extension



With Extension

BK ROOF VENT

The Bathroom/Kitchen Exhaust Roof Vent (**BK**) is designed for bathroom or kitchen exhaust venting. Compatible with multiple pitches and provides a low silhouette. Includes a built-in hinged damper to prevent backdraft. 1/4" Screen prevents hood access by birds and many insects. **BKX** models includes a 3" long pipe extension. Quality constructed from Galvanized Steel or Copper with pre-painted options in black or brown.

New volume pricing now available for black BK and BKX models in 4", 6", and 8" models.



The Contractor's First Choice

WANT TO LEARN
MORE?

**CONTACT OUR TEAM TO REQUEST
A SAMPLE OR PLACE AN ORDER AT
SALES@FAMCOMFG.COM**

**VISIT OUR WEBSITE AT
WWW.FAMCOMFG.COM**